Google | query parameter scope method database abst | Search | Advanced Search
                                                                        Preferences
New! View and manage your web history

Web   Groups   Results **1 - 10** of about **842,000** for **query** **parameter** **scope** **method** **database** **abstraction** **ins**

Django | Documentation (version 0.90) | **Database abstraction** layer API
This document explains the **database abstraction** API derived from the models, ... Given
an **instance** of an **object**, related **objects** can be looked-up directly ...
www.djangoproject.com/documentation/0_90/db_api/ - 46k - Cached - Similar pages

Object-oriented **database abstraction** and statement generation ...
This **object** provides an **abstraction** of the **database** schema, ... For **instance**, the
procedure call may indicate that the value of a **parameter** is desired for ...
www.freepatentsonline.com/6763361.html - 39k - Cached - Similar pages

[PDF] **Database** WF Activities 1.0 Requirements Specification 1. **Scope**
File Format: PDF/Adobe Acrobat - View as HTML
to the Named **Query** Processor **methods**. 1.2.2 **Database** Non-**Query** Activity ... activity
itself as the key **parameter**. The single **object** activity will have ...
software.topcoder.com/catalog/document?id=26871007 - Similar pages

[#ZF-181] date/time **abstraction** - Zend Framework Issue Tracker
I like the **database abstraction** layer so far, but what really seems missing is ... such that
the **query**() **method** discovers if any of its bound **parameters** are ...
framework.zend.com/issues/browse/ZF-181 - 41k - Cached - Similar pages

Zend Technologies - Code GalleryObject **Database Abstraction**
Object Database Abstraction ... unless specified in the **query method** - Nice formatted
table(Easy reference), ... /*Adding the 1 as the second **parameter**, ...
www.zend.com/code/codex.php?id=960&single=1 - 72k - Cached - Similar pages

Method and apparatus for **object**-oriented access to a relational ...
That is, the **query abstraction method** of the present invention does not ... **QUERY** object
207 has as input at least one **PARAMETER** 206 that represents a data ...
www.patentstorm.us/patents/6968344-description.html - 41k - Cached - Similar pages

Class::DBI - Simple **Database Abstraction** - search.cpan.org
The before_delete trigger is when an **object instance** is about to be deleted. ..... out of
scope or the program ends) then Class::DBI's DESTROY **method** will ...
search.cpan.org/perldoc?Class::DBI - 101k - Cached - Similar pages

Tutorial: PHP 5 OOP - VBForums
Because the class is **abstract** an **instance** of it can never be created (remember .... We use
protected members, because a **database** specific **query object** which ...
www.vbforums.com/showthread.php?t=378700 - 201k - Cached - Similar pages

Changes **** v2.0.1 (November 2006) ------ - fix: bug in last ...
getKeys in favor of the new **method Instance**. ... velosurf appears as a Velocity ViewTool -
http **query parameters** are now parsed by HttpQueryTool, ...
velosurf.sourceforge.net/CHANGELOG - 14k - Cached - Similar pages

The PHP 5 Data **Object** (PDO) **Abstraction** Layer and Oracle
The exec() **method** of the **database** handle **object** can be used to issue fast .... and it is
worth noting that you may also bind **parameters** to the **query** to ...
www.oracle.com/technology/pub/articles/php_experts/otn_pdo_oracle5.html - 79k -

Cached - Similar pages

Google Groups results for **query parameter scope method database abstraction instance object**

Comp.**Object** FAQ Version 1.0.8 (05-31) Part 2/13 - comp.object - Jul 18, 1995
Abstract public member variales? - comp.object - Sep 24, 2006
M Technology and MUMPS Language FAQ, Part 1/2 - sci.med.informatics - Jun 21, 1998

1 2 3 4 5 6 7 8 9 10   **Next**

Try Google Desktop: search your computer as easily as you search the web.

| query parameter scope method data | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google

| microsoft abstraction instance database query | | Search Patents | Advanced Patent Se Google Patent Searc |

Patents Patents **11 - 20** on **microsoft abstraction instance database query scope method.** (0.26 seconds)

« View all web results for microsoft   Sort by relevance | Sort by date (new first) | Sort by date (old first)
abstraction instance database query scope method

Methods and systems for per persona processing media content-associated metadata
US Pat. 7220910 - Filed Mar 21, 2002 - Microsoft Corporation
13 is a flow diagram illustrating steps in a **method** in accordance with one embodiment
... a **database query** on a computing device that supports such queries. ...

Translation of object queries involving inheritence
US Pat. 7082433 - Filed Jul 20, 2002 - Microsoft Corporation
A **method** of translating a join expression, expressed in terms of objects, into
a relational **database** join statement, comprising: receiving the join ...

Mapping **database** users to operating system users in a computer schema
US Pat. 6990499 - Filed Oct 15, 2004 - Microsoft Corporation
However, the description itself is not intended to limit the **scope** of this patent.
... Computer storage media 45 available from **Microsoft** Corporation of ...

Use of indices for queries with comparisons on a function
US Pat. 6757671 - Filed Sep 27, 2000 - Microsoft Corporation
An object is an **instance** of a class. The data members of an object are ...
The comparison value can be a constant, a **query** parameter, a column from another ...

System and **method** for extending application preferences classes
US Pat. 7137099 - Filed Oct 24, 2003 - Microsoft Corporation
Preferences can then be executed or evaluated utilizing **query** language (eg, ...
from a **database** and executed according to one 40 aspect in real-time. FIG. ...

Systems for per persona processing media content-associated metadata
US Pat. 7262357 - Filed Apr 1, 2005 - Microsoft Corporation
This static portion can be developed and pro- 50 vided into the file whenever a
playlist engine executes a **database query** on a computing device that ...

Detecting framing of a network resource identified by a target uniform ...
US Pat. 6895402 - Filed Aug 25, 1999 - International Business Machines Corporation
60 The Targeted Crawler then consults the DTD **database** for the correct format
for querying the Hotbot search engine, and builds a boolean **query** based upon ...

Data referencing within a **database** graph
US Pat. 6665863 - Filed May 31, 2000 - Microsoft Corporation
Constraints on variables specify the shape of the information retrieved from a
query. Constraints on a graph cursor object specify value restrictions. ...

Searching multi-media databases using multi-media queries
US Pat. 6957226 - Filed Jun 27, 2002 - Microsoft Corporation
6, a **method** 600 for searching a multimedia **database** in accordance with an ...

At 610, responsibility vectors for frames of a **query** segment are calculated. ...

Representing **database** permissions as associations in computer schema
US Pat. 7020655 - Filed Oct 15, 2004 - Microsoft Corporation
The "**Microsoft** SQL Server" brand of **database** programs, also available from **Microsoft**
... WMI provides services such as SQL **query** language support and ...

◀ Google ▶

Result Page: **Previous** 1 2 3   **Next**

| microsoft abstraction instance database quer | Search Patents |

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

©2007 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	1	"5937189".pn. and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 10:52
L12	1	"5937189".pn. and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:52
L13	1	"5937189".pn. and query and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:57
L14	1	"5937189".pn. and search$4 and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:14
L15	0	"5937189".pn. and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:14
L16	0	"5937189".pn. and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:14
L17	0	"5937189".pn. and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:14
L18	1	"5937189".pn. and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:57

L19	1	"20030083073".pn. and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:57
L20	1	"6343290".pn. and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:08
L21	1	"6763361".pn. and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:09
L22	1	"6763361".pn. and query and method and instance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:09
L23	1	"6763361".pn. and query and method and instance and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:12
L24	1	"6968344".pn. and query and method and instance and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:18
L25	5	"1379971"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:26
L26	1	"7162469".pn. and schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:26

L27	1	"7162469".pn. and schema and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:28
L28	180	object with (generat$5 or creat$4) with instance with (element or record or item or entry) and database and query and (cerat$4 or build$4 or generat$6) with class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:30
L29	0	object with (generat$5 or creat$4) with instance with (element or record or item or entry) and database and query and (cerat$4 or build$4 or generat$6) with class and query with method with scope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:31
L30	62	object with (generat$5 or creat$4) with instance with (element or record or item or entry) and database and query and (cerat$4 or build$4 or generat$6) with class and query with method and scope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:31
L31	42	object with (generat$5 or creat$4) with instance with (element or record or item or entry) and database and query and (cerat$4 or build$4 or generat$6) with class and query with method and scope and (call or bind or connect$6 or interface) with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:33
L32	29	object with (generat$5 or creat$4) with instance with (element or record or item or entry) and database and query and (creat$4 or build$4 or generat$6) with class and query with method and (definition or specification or scope or parameter) with query and (call or bind or connect$6 or interface) with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:34